


Solutions for Perfection from Marin Industrietechnik


Heavy Weight Weaving Shuttles DRKL

- *10-15 % Higher productivity utilization*
- *Cost reduction due to long life materials*
- *Cost saving due to modular construction*
- *No weaving marks on the fabric*



Weaving Shuttles Type DRKL-N1

High-Tec Shuttle type DRKL-N1 with polished sliding skids and full equipment. Application: At Weaving looms with hydraulic picking units and manual pirn changing. For pirns with a short end shape without steel rings and a length of 500 mm.




Full equipment:

2 Ceramic eyelets, 1 Shuttle nose type ARL, 1 Shuttle nose type ARR, 2 Sensor plates type A, 1 Pirn holder type D, 1 Yarn cutter type A, 1 Filling brake type BR, 1 Balloon spring pirn spindle, 1 Special brush strip 350 mm will be integrated customer-specific and all needed screwing connections.

Shuttle dimensions:


860/800 x 80 x 67/50 mm

Balloon Spring Pirn Spindle & Pirn holder type D: The pirn spindle is completely dismountable and all parts could be changed.



Weaving Shuttles Type DRGL-N1

High-Tec Shuttle type DRGL-N1 on the highest precision level with basic equipment.



Basic equipment:

2 Ceramic eyelets, 1 Shuttle nose type ARL, 1 Shuttle nose type ARR, 2 Sensor plates type A, 1 Dowel pin for the pirn spindle, 1 Special brush strip 350 mm will be integrated customer-specific and all needed screwing connections at basic equipment.

Shuttle dimensions:

860/800 x 80 x 67/50 mm



Lechstrasse 2
73529 Schwaebisch Gmuend
Germany

fon : +49 (0)7171 98 90 52
fax : +49 (0)7171 98 90 53

email : marin@marin-technik.de
web: www.marin-technik.de